



Making Your Home More Cozy!



**Flooring
Decking**

**Wall Panel
Container House Project**

www.spcfloors.cn



About Us

Gold lion is committed to creating a comfortable and energy-efficient home environment for you, filling every corner with warmth and care.

Whether it's smart air conditioners, efficient water heating systems, elegant wall panels, or comfortable flooring, Gold Lion products provide you with a thoughtful home experience, making your home truly a cozy haven.

TABLE OF CONTENTS

01

Flooring

SPC flooring

Herringbone SPC flooring

LVT vinyl flooring

Water-resistant laminate flooring

3

5

6

7

02

Wall Panel

UV wall panel

Bamboo wood fiber board & Carbon crystal board

Acoustic board & PU ceiling medallion

PU stone panel

WPC slat wall panel

WPC louvers

8

9

10

11

13

15

03

WPC Decking

Co-extrusion WPC decking

16

04

Container House

New energy appliances

17



SPC FLOORING

Ideal for active families or commercial spaces with heavy foot traffic, the Premium 7 collection features planks measuring 9.06" x 60.25". Each plank comes with cut and painted beveled edges, providing natural and realistic visuals.

Premium 7 Specifications Colors

Material Type	SPC
Plank Size	9.06"x 60.25"
Total Thickness	8.0 mm
Core Thickness	6.5 mm
Wear Layer	20 mil
Attached Pad	Yes
Pad Thickness	1.5 mm
Pad Type	Anti Bacterial & Acoustic
Installation Type	Click System
Plank Repeat	8-10
Texture/Style	Embossed
Box Size	60.47"x 9.29"
Pieces/Box	6 pieces
Kgs./Box	28.8 Kg
Boxes/Pallet	56 boxes
Container Size	784 boxes


B183 Autumn Equinox

B187 The Rains

B192 Winter Begins

B199 Vernal Equinox

B203 Stopping The Heat


B184 Spring Begins

B190 Autumn Begins

B195 Grain Buds

B200 Winter Solstice

B204 Grain In Ear


B186 Insects Awaken

B191 Frost

B197 Clear And Bright

B201 Summer Solstice

B205 Greater Snow



All our shown and mentioned decors are provided by Gold Lion. Gold Lion reserves the final right of interpretation regarding color variations, locking system differences, and warranty terms across different batches of flooring.

Accessories



End Cap



Flush Stair
Nose



Quarter Round



Reducer



T-Molding

SPC FLOORING

The Premium 6 Collection is a well-engineered product that is suitable for any room in the home and meets the demands of multi-family housing.



Premium 6 Specifications Colors

Material Type	SPC
Plank Size	7.2"x 48.03"
Total Thickness	6.0 mm
Core Thickness	4 mm
Wear Layer	20 mil
Attached Pad	Yes
Pad Thickness	1.5 mm
Pad Type	Anti Bacterial & Acoustic
Installation Type	Click System
Plank Repeat	8-10
Texture/Style	Embossed
Box Size	7.43"x 48.25"
Pieces/Box	10 pieces
Kgs./Box	18.8 Kgs
Boxes/Pallet	60 boxes
Container Size	1200 boxes



2310 Sand Grey



2311 Seaweed



2312 Starfish



2313 Hippo

Accessories



End Cap



Flush Stair
Nose



Quarter Round



Reducer



T-Molding



HERRINGBONE SPC FLOORING




Herringbone SPC flooring features a distinctive V-shaped pattern that mimics the classic herringbone design, offering a stylish and timeless aesthetic. Known for its durability and waterproof properties, SPC (Stone Plastic Composite) flooring ensures long-lasting performance, making it ideal for high-traffic areas.




Herringbone SPC

Material Type	SPC
Plank Size	4.29" x 23.98"
Total Thickness	5.0mm
Core Thickness	4.0mm
Wear Layer	12 mil
Attached Pad	Yes
Pad Thickness	1.0mm
Pad Type	IXPE
Installation Type	Click System
Plank Repeat	8-10
Texture/Style	Embossed
Box Size	4.33" x 24.02"
Pieces/Box	24 pieces
Kgs./Box	13.5Kgs
Boxes/Pallet	84 boxes
Container Size	1680 boxes

Colors



Accessories





WPC Wall Panel
GL 032

Golden Hu
88040-3

LVT FLOORING

For high-traffic commercial spaces or active families, the Premium L Collection offers beautiful, luxurious flooring. Premium L comes in 7" x 48" planks, perfect for any room in your home or office.

Premium L Specifications Colors

Material Type	LVT
Plank Size	7" x 48"
Total Thickness	3.0 mm
Core Thickness	3 mm
Wear Layer	12 mil
Attached Pad	No
Pad Thickness	-
Pad Type	-
Installation Type	Dryback
Plank Repeat	8-10
Texture/Style	Embossed
Box Size	7.43" x 48.25"
Pieces/Box	16 pieces
Kgs./Box	16.5 Kg
Boxes/Pallet	70 boxes
Container Size	1400 boxes



88037-5 Hanabo



88040-3 Golden Hu



88046-5 White Hemp



88048-8 Cactus

Accessories



End Cap



Flush Stair
Nose



Quarter Round



Reducer



T-Molding



Water-resistant LAMINATE FLOORING

300Hours of Water Resistant.
Wear Resistance $\geq$ **4000 rpm**

The density of the HDF reaches 930 kg/m³, and the floor's water absorption rate can reach 5%-6%. It features a locking edge with sealing wax.

Laminate flooring does not require a perfectly smooth subfloor; it can be installed over most existing surfaces and can hide many subfloor imperfections, saving you labor and the cost of self-leveling.



Laminate 12 Specifications Colors

Material Type	LAMINATE
Plank Size	7.8" x 48"
AC Level	4
Thickness	12.0mm
Attached Pad	No(Optional)
Pad Thickness	-
Pad Type	-
Edge Profile	Painted Bevel
Installation Type	Click System
Plank Repeat	8-10
Texture/Style	Embossed
Box Size	8" x 48.25"
Pieces/Box	7 pieces
Kgs./Box	18.25 Kgs
Boxes/Pallet	55 boxes
Container Size	1100 boxes



1518 Paper Plane



1519 Afternoon Time



1710 Caramel



M8017 Moon River



M8261 Mushroom



YX-3 Warmth Rain

UV WALL PANEL



The UV wall panels are composed of marble and recyclable polymers (stone plastic composite). These products are exceptionally robust and fully waterproof. The innovative panels offer easy installation, outstanding durability, and a wide range of realistic designs that replicate the beauty of natural materials like wood, marble, and stone. Transform your space with these fire-resistant, low-maintenance panels, combining style and functionality.



- ◆ **SPC composition:** Over 80% marble content
- ◆ **Digital print design with UV-coated surface**
- ◆ **Extra-large format:** 2440 x 1220 mm
- ◆ **Ideal for various subsurfaces:** Concrete, tiles, gypsum plaster, plywood, OSB

Colors

Panel Size: 2440 x 1220 mm Panel Thickness: 3 mm

							
GL-8212 White Fabric	GLN-93110 Topaz	GLN-24038-A New Calacatta Gold	GLN-93002 Marble White	GL-8226-2 Morgan Grey	GLN-24027-B Marble Gray	GLN-8006 Gilded Tiffany Gray	GL-8264 Calacatta Black


Interior decoration

WALL PANEL

Bamboo Fiber Wall Panels are a type of wall cladding material made from bamboo charcoal fiber, bamboo fiber, bamboo wood, PVC, PET, or WPC (Wood Plastic Composite Panel), ensuring durability and longevity. Bamboo fiber wall panels are often used for interior walls in both residential and commercial applications, offering benefits such as sound insulation, moisture resistance, and a unique natural look.



Bamboo Wood Fiber Board



Carbon Crystal Board



Colors Panel Size: 2440 x 1220 mm / 2900 x 1220 mm Panel Thickness: 5/8 mm

Textile Pattern Collection

Inspired by the timeless charm of textile textures, this collection brings a warm, sophisticated touch to any space.



White Fabric



Golden Fabric



Light Grey Fabric



Dark Grey Fabric

Marble Collection

Elevate interiors with the natural beauty and refined luxury of marble-inspired surfaces.




Beige White Marble



Coffee Marble



Gilded Luxury Marble



Blue Ocean Marble

Mirror Finish Collection

Featuring a high-gloss mirror finish, this series adds modern brilliance and depth to contemporary designs.



Mirror



Golden Mirror



Brushed Metal



Dark Grey Brushed

ACOUSTIC BOARD



- Sound Absorption – Reduces echo and improves clarity.
- Aesthetic Appeal – Adds a warm, elegant look.
- Durability – Long-lasting and resistant to wear.
- Eco-Friendly – Made from sustainable materials.
- Thermal & Sound Insulation – Enhances comfort.
- Versatile – Ideal for offices, studios, theaters, and homes.

Square acoustic board

Size: 200x200mm / 300x300mm / 600x600mm / 600x1200mm
Thickness: 12mm



GL-AB01



GL-AB02




GL-AB03



GL-AB04

Hexagon acoustic board

Side length: 150mm / Edge to edge: 255mm / Corner to corner: 300mm
Thickness: 12mm



GL-HAB010



GL-HAB011



GL-HAB012

Lightweight PU CEILING MEDALLION

- Lightweight & Easy to Handle – Easier to install than plaster or wood.
- Moisture & Termite Resistant – Ideal for humid environments.
- Customizable – Can be painted to match interior decor.
- Affordable Alternative – Provides a luxurious look at a lower cost compared to plaster.

Type



GL-7012
Total Φ 700mm



GL-7013
Total Φ 1000mm



GL-6135
Total Φ 900mm




GL-6102
Total Φ615mm


Stone rock

PU STONE PANEL


PU stone rock wall panel is a lightweight and durable decorative material that replicates the natural texture and appearance of real stone, offering an elegant and rustic aesthetic. Its polyurethane (PU) construction makes it easy to install, moisture-resistant, and ideal for both indoor and outdoor applications, providing a cost-effective alternative to traditional stone walls.



Type



Size



PU STONE PANEL

PU stone rock wall panels are designed to replicate the natural beauty and texture of real stone, providing a luxurious and sophisticated appearance that enhances both interior and exterior spaces. At the same time, they are engineered to withstand the test of time, resisting weathering, UV exposure, and moisture without cracking, fading, or deteriorating. Whether used in residential, commercial, or industrial settings, PU stone rock wall panels deliver unmatched versatility, cost-effectiveness, and performance.

Advantages

- 

Lightweight
- 

Durability
- 

Easy Installation
- 

Low Maintenance
- 

Sound Insulation
- 

Eco-Friendly
- 

Fire Resistance
- 

Compatibility with Other Materials

Colors



Alabaster



Hanyu White



Light Cement Grey



Light Grey



Volcanic Grey



Magnolia



Cement Grey




Light Golden Ma



Golden Ma



Light Black



Dark Black



Rammed Earth Yellow



China Red



Brick Red



Sapphire Blue



Peacock Green




Co-extrusion WPC Slat Wall Panel

Wood Plastic Composite Co-Extrusion Slat Wall Panel is designed as exterior decoration for buildings, enhancing both beauty and protection. Wood plastic wall panels are more attractive than traditional exterior walls due to their eco-friendly properties and aesthetic appeal. Gold Lion's outdoor WPC slat wall panels are made from recycled plastic and wood fibers, available in various colors. They are waterproof, moisture-resistant, and insect-resistant. These panels will not rot or warp, resulting in very low maintenance costs.



Specifications



Colors

Non Brushing



Grey



Walnut



Teak



Black

Brushing



Oak



Teak

WPC Slat Wall Panel

The Gold Lion Wall Panel series is an ideal decorative solution that can transform a concrete building, giving it a natural and refined appearance. WPC Wall Panels provide buildings with a fresh look and renewed vitality. Additionally, they enhance the building's durability, increasing its service life and, consequently, its value. Furthermore, these panels improve thermal insulation, acoustics, and natural daylight performance.

Advantages



UV Stabilised



Waterproof



Natural,
variable colour
& timber grain



Won't Twist





Provides heat
insulation and
preservation




Made from over 80%
recycled materials

Specifications



PVC INTERIOR LOUVERS


WPC Louvers are architectural elements made from Wood-Plastic Composite (WPC) materials, designed to provide shading, ventilation, and aesthetic appeal. WPC is a durable, eco-friendly material made from a blend of wood fibers and thermoplastics, offering the look of wood with enhanced resistance to moisture, rot, and insects.



Advantages

- | | | | |
|---|----------------------|---|-------------------|
|  | Water Resistant |  | Easy Installation |
|  | Fire Resistance |  | Bug Resistant |
|  | Low-Maintenance |  | Eco-friendly |
|  | Corrosion Resistance |  | Recyclable |

Color




GL-805005-17



GL-7052-0481



GL-FX150



GL-806005-26




GLT-600001-218



GL-7070-1




GL-512601-10




GL-7003-2

Co-Extrusion WPC Decking



Specification



Size: 23mm*137mm / 20mm*140mm

Color: Beach / Ash / Teak / Walnut / Cherry Red / Dove Grey

Advantages

- | | |
|---|---|
|  Distinctive Grain Pattern
Products resemble natural wood, offering vibrant colors and durability. |  Easy&efficient installation
No clips needed; screws are hidden for a seamless finish. |
|  Reliable Durability
Reinforcement technology significantly enhances the board's mechanical performance. |  Rot&Crack Resistant
Free of plant fibers to prevent moisture damage, termites, mold, and fungi. |
|  Low-Maintenance
Achieve the look of timber without the need for constant upkeep. |  Friendly to Bare Feet
Made from engineered polyurethane material with a soft surface. |
|  Slip-Resistant
Safer for children and the elderly, with a slip-resistant surface. |  Environmental Protection Concept
Produced using sustainable methods. |

Colors



Dove Grey



Beach



Cherry Red



Ash



Teak



Walnut

Container House Project

We collaborate with professional Chinese new energy product manufacturer - UNIEPU to integrate our decorative materials and new energy appliances into container houses. In the future, we plan to include more furniture and appliances, such as TVs and washing machines, to create a complete housing system. This initiative aims to provide accessible housing for residents while revitalizing the community.



All-in-one Heat Pump


The Uniepu all-in-one hot water heat pump is one of the most economical systems for heating domestic hot water. It can achieve higher water temperatures, up to 70°C, which meets the demand for a large supply of hot water. By using free renewable energy from the air, this all-in-one heat pump is highly efficient, providing low running costs throughout the day.





Solar Water Heater

Solar water heating systems can be a cost-effective way to generate hot water for your home. They can be used in any climate, and the fuel they rely on—sunshine—is free. These systems can heat water to temperatures of 45–65°C.



Solar Air Conditioner

Solar-powered air conditioners use energy harnessed from the sun via photovoltaic cells (PV panels) to convert sunlight into AC or DC electricity. These units can optionally run on small batteries, which need to be periodically charged with a minimal amount of electricity.



Email: info@spcfloors.cn
ada@spcfloors.cn

Phone: +1 408 797 7822

United States Office:

Elsker Home LLC

230 Evandale Ave, Mountain View, CA 94043

China Office:

Jiaxing Gold Lion Decoration Material Co.,ltd.

Add: No.87, Lumansi Bridge, Yuanhua Town,
Haining City, Jiaxing, Zhejiang, China

Yiwu Exhibition Hall

Add: No.595, Jiamei Plaza, Xuefeng West Road,
Beiyuan Street, Yiwu City

*All our shown and mentioned decors are provided by Gold Lion. Gold Lion reserves the final right of interpretation regarding color variations, locking system differences, and warranty terms across different batches of flooring, decking, wall panel.



WhatsApp



Business Wechat